



1. EXTERIOR BRICK FINISH
2. QUAD-LOCK 2.25" REGULAR PANEL
3. QUAD-LOCK TIE (8" YELLOW SHOWN)
4. REINFORCED CONCRETE CORE
5. VERTICAL REINFORCEMENT
6. HORIZONTAL REINFORCEMENT
7. INSERT CUT QUAD-LOCK FLANGES AS SHOWN
8. PARGING AS SPECIFIED
9. PEEL&STICK WATER PROOFING OR SIM.
10. PERIMETER DRAIN
11. THICKENED SLAB EDGE REINFORCEMENT AS SPECIFIED
12. COMPACTED FILL
13. ZERO COMPACTION SAND OR GRAVEL
14. VAPOR BARRIER AS SPECIFIED
15. INSULATION AS SPECIFIED
16. SLAB ON GRADE
17. WELDED WIRE MESH OR LONGITUDINAL AND TRANSVERSE REBAR AS SPECIFIED
18. QUAD-LOCK METAL TRACK
19. INTERIOR FINISH (FASTEN GYPSUM WALLBOARD TO PLASTIC TIE FLANGES)
20. REINFORCEMENT OVERLAP AS SPECIFIED

QUAD-LOCK
Building Systems Ltd.

Quad-Lock Building Systems Ltd.
7398 - 132nd Street
Surrey, BC V3W 4M7
Canada

888.711.5625 - Toll Free
604.590.3111
604.590.8412 - fax
www.quadlock.com

IT IS THE RESPONSIBILITY OF THE USER TO COMPLY WITH ALL APPLICABLE REGULATIONS AND BUILDING CODE REQUIREMENTS CONCERNING THE USE OF THESE PRODUCTS.
IT IS FURTHER THE RESPONSIBILITY OF THE USER TO RESEARCH AND UNDERSTAND SAFE METHODS OF USE AND HANDLING OF THESE PRODUCTS.

WALL TO SLAB ON GRADE

DATE:	2009-01-21	SCALE:	NOT TO SCALE
REVISION NO.:	R-02	PROJECT:	
REVISION DATE:	2009-07-10	CUSTOMER:	
DRAWN BY:	Z. PROSTRAN	APPROVED BY:	H.M.K. & D.J.B.
			DRAWING NO.:
			QL-104