



| | |
|-----|---|
| 1. | EXTERIOR FINISH AS SPECIFIED |
| 2. | QUAD-LOCK TIE (6" BLUE SHOWN) |
| 3. | PARGING AS SPECIFIED |
| 4. | COMPACTED FILL |
| 5. | SLOPE GRADE AWAY FROM WALL |
| 6. | PEEL&STICK WATER PROOFING OR SIM. |
| 7. | VERTICAL REINFORCEMENT AS SPECIFIED |
| 8. | HORIZONTAL REINFORCEMENT AS SPECIFIED |
| 9. | REINFORCED CONCRETE CORE |
| 10. | QUAD-LOCK TIE (8" YELLOW SHOWN) |
| 11. | QUAD-LOCK REGULAR 2.25" PANEL |
| 12. | INTERIOR FINISH (GYPSUM WALLBOARD) FASTEN TO QUAD-LOCK TIE FLANGES |
| 13. | QUAD-LOCK PLUS 4.25" PANEL |
| 14. | PREASSEMBLED LEDGER BOARD WITH STAGGERED ANCHOR BOLTS CAST IN PLACE |
| 15. | CUT OUT SQUARE BLOCKS OF FOAM AROUND EVERY LEDGER BOLT |
| 16. | JOIST HANGER |
| 17. | ENGINEERED I-JOISTS AS SPECIFIED |
| 18. | SUBFLOOR AS SPECIFIED |

QUAD-LOCK
Building Systems Ltd.

Quad-Lock Building Systems Ltd.
7398 - 132nd Street
Surrey, BC V3W 4M7
Canada

888.711.5625 - Toll Free
604.590.3111
604.590.8412 - fax
www.quadlock.com

IT IS THE RESPONSIBILITY OF THE USER TO COMPLY WITH ALL APPLICABLE REGULATIONS AND BUILDING CODE REQUIREMENTS CONCERNING THE USE OF THESE PRODUCTS.

IT IS FURTHER THE RESPONSIBILITY OF THE USER TO RESEARCH AND UNDERSTAND SAFE METHODS OF USE AND HANDLING OF THESE PRODUCTS.

I-JOISTS PERPENDICULAR TO WALL ANCHOR BOLT CONNECTION

| | | | |
|----------------|-------------|--------------|-----------------|
| DATE: | 2009-01-21 | SCALE: | NOT TO SCALE |
| REVISION NO.: | R-02 | PROJECT: | |
| REVISION DATE: | 2009-07-10 | CUSTOMER: | |
| DRAWN BY: | Z. PROSTRAN | APPROVED BY: | H.M.K. & D.J.B. |
| | | | DRAWING NO.: |
| | | | QL-301 |