



- 1. EXTERIOR FINISH AS SPECIFIED
- 2. QUAD-LOCK TIE (6" BLUE SHOWN)
- 3. PARGING AS SPECIFIED
- 4. COMPACTED FILL
- 5. SLOPE GRADE AWAY FROM WALL
- 6. PEEL&STICK WATER PROOFING OR SIM.
- 7. VERTICAL REINFORCEMENT AS SPECIFIED
- 8. HORIZONTAL REINFORCEMENT AS SPECIFIED
- 9. REINFORCED CONCRETE CORE
- 10. QUAD-LOCK REGULAR 2.25" PANEL
- 11. INTERIOR FINISH (GYPSUM WALLBOARD) FASTEN TO QUAD-LOCK TIE FLANGES

- 12. SIMPSON ICFVL-CW WOOD LEDGER BRACKET FOR LVL LEDGER (USE ICFVL-W FOR DIMENSIONAL LUMBER)
 - 13. JOIST HANGER
 - 14. SIMPSON ICFVL FLOOR HANGER BRACKET CAST IN PLACE INSTALL TO MANUFACTURER'S RECOMMENDATION
 - 15. LEDGER BOARD
 - 16. ENGINEERED WOOD I-JOISTS AS SPECIFIED
 - 17. SUBFLOOR AS SPECIFIED
- FOR MORE INFORMATION SEE:
<http://www.simpsonstrong-tie.com/products/connectors/ICFVL.asp>



Quad-Lock Building Systems Ltd.
 7398 - 132nd Street
 Surrey, BC V3W 4M7
 Canada
 888.711.5625 - Toll Free
 604.590.3111
 604.590.8412 - fax
 www.quadlock.com

I-JOISTS PERPENDICULAR TO WALL SIMPSON ICFVL CONNECTION

| | | | |
|----------------|-------------|--------------|-----------------|
| DATE: | 2009-01-21 | SCALE: | NOT TO SCALE |
| REVISION NO.: | R-02 | PROJECT: | |
| REVISION DATE: | 2009-07-10 | CUSTOMER: | |
| DRAWN BY: | Z. PROSTRAN | APPROVED BY: | H.M.K. & D.J.B. |
| | | | DRAWING NO.: |
| | | | QL-303 |

IT IS THE RESPONSIBILITY OF THE USER TO COMPLY WITH ALL APPLICABLE REGULATIONS AND BUILDING CODE REQUIREMENTS CONCERNING THE USE OF THESE PRODUCTS.
 IT IS FURTHER THE RESPONSIBILITY OF THE USER TO RESEARCH AND UNDERSTAND SAFE METHODS OF USE AND HANDLING OF THESE PRODUCTS.