



- |     |  |
|-----|--|
| 1.  | EXTERIOR FINISH AS SPECIFIED                                       |
| 2.  | QUAD-LOCK TIE (6" BLUE SHOWN)                                      |
| 3.  | PARGING AS SPECIFIED   |
| 4.  | COMPACTED FILL   |
| 5.  | SLOPE GRADE AWAY FROM WALL   |
| 6.  | PEEL&STICK WATER PROOFING OR SIM.                                  |
| 7.  | VERTICAL REINFORCEMENT AS SPECIFIED                                |
| 8.  | HORIZONTAL REINFORCEMENT AS SPECIFIED                              |
| 9.  | REINFORCED CONCRETE CORE   |
| 10. | QUAD-LOCK REGULAR 2.25" PANEL                                      |
| 11. | INTERIOR FINISH (GYPSUM WALLBOARD) FASTEN TO QUAD-LOCK TIE FLANGES |

- |  |   |
|--|---|
| 12.  | SIMPSON ICFVL-CW WOOD LEDGER BRACKET FOR LVL LEDGER (USE ICFVL-W FOR DIMENSIONAL LUMBER)  |
| 13.  | CEILING FINISH  |
| 14.  | SIMPSON ICFVL FLOOR HANGER BRACKET CAST IN PLACE INSTALL TO MANUFACTURER'S RECOMMENDATION |
| 15.  | LEDGER BOARD  |
| 16.  | BLOCKING AS REQUIRED  |
| 17.  | ENGINEERED WOOD I-JOISTS AS SPECIFIED   |
| 18.  | SUBFLOOR AS SPECIFIED   |
| FOR MORE INFORMATION SEE:<br><a href="http://www.simpsonstrong-tie.com/products/connectors/ICFVL.asp">http://www.simpsonstrong-tie.com/products/connectors/ICFVL.asp</a> |   |



Quad-Lock Building Systems Ltd.  
7398 - 132nd Street  
Surrey, BC V3W 4M7  
Canada  
888.711.5625 - Toll Free  
604.590.3111  
604.590.8412 - fax  
[www.quadlock.com](http://www.quadlock.com)

## I-JOISTS PARALLEL TO WALL SIMPSON ICFVL CONNECTION

DATE:	2009-01-21	SCALE:	NOT TO SCALE
REVISION NO.:	R-02	PROJECT:	
REVISION DATE:	2009-07-10	CUSTOMER:	
DRAWN BY:	Z. PROSTRAN	APPROVED BY:	H.M.K. & D.J.B.
			DRAWING NO.:
			QL-304

IT IS THE RESPONSIBILITY OF THE USER TO COMPLY WITH ALL APPLICABLE REGULATIONS AND BUILDING CODE REQUIREMENTS CONCERNING THE USE OF THESE PRODUCTS.  
IT IS FURTHER THE RESPONSIBILITY OF THE USER TO RESEARCH AND UNDERSTAND SAFE METHODS OF USE AND HANDLING OF THESE PRODUCTS.