



- 1. EXTERIOR FINISH AS SPECIFIED
- 2. QUAD-LOCK REGULAR 2.25" PANEL
- 3. QUAD-LOCK TIE (6" BLUE SHOWN)
- 4. METAL ANGLE WITH BOLTS AS SPECIFIED
- 5. STEEL PLATE WITH NELSON STUDS AS SPECIFIED
- 6. REINFORCED CONCRETE CORE
- 7. VERTICAL REINFORCEMENT AS SPECIFIED
- 8. HORIZONTAL REINFORCEMENT AS SPECIFIED
- 9. INTERIOR FINISH (GYPSUM WALLBOARD) FASTEN TO QUAD-LOCK TIE FLANGES

- 10. BLOCKING
- 11. OPEN WEB STEEL JOIST AS SPECIFIED
- 12. HAT CHANNEL FOR CEILING FINISH ATTACHMENT
- 13. CEILING FINISH
- 14. CONCRETE TOPPING AS SPECIFIED
- 15. STEEL PAN DECK AS SPECIFIED
- 16. CUT OUT FOAM AS REQUIRED
- 17. QUAD-LOCK TRACK



Quad-Lock Building Systems Ltd.
 7398 - 132nd Street
 Surrey, BC V3W 4M7
 Canada
 888.711.5625 - Toll Free
 604.590.3111
 604.590.8412 - fax
 www.quadlock.com

OPEN WEB STEEL JOIST FLOOR CONNECTION PERPENDICULAR TO WALL

DATE:	2009-01-21	SCALE:	NOT TO SCALE
REVISION NO.:	R-02	PROJECT:	
REVISION DATE:	2009-07-10	CUSTOMER:	
DRAWN BY:	Z. PROSTRAN	APPROVED BY:	H.M.K. & D.J.B.
			DRAWING NO.:
			QL-309

IT IS THE RESPONSIBILITY OF THE USER TO COMPLY WITH ALL APPLICABLE REGULATIONS AND BUILDING CODE REQUIREMENTS CONCERNING THE USE OF THESE PRODUCTS.
 IT IS FURTHER THE RESPONSIBILITY OF THE USER TO RESEARCH AND UNDERSTAND SAFE METHODS OF USE AND HANDLING OF THESE PRODUCTS.