



1.	EXTERIOR WALL FINISH AS SPECIFIED
2.	REINFORCED CONCRETE CORE
3.	QUAD-LOCK REGULAR 2.25" PANEL
4.	QUAD-LOCK TIE (6" BLUE SHOWN)
5.	INTERIOR WALL FINISH AS SPECIFIED
6.	VERTICAL REINFORCEMENT AS SPECIFIED
7.	HORIZONTAL REINFORCEMENT AS SPECIFIED
8.	STIRRUPS & LINTEL REINFORCEMENT AS SPECIFIED
9.	PRESSURE TREATED INTERNAL WOOD BUCK FOR INSET WINDOW ATTACHMENT FASTENED TO CONCRETE VIA CAST IN PLACE SCREWS ON CONTACT SIDE
10.	WINDLOCK TYPE SCREWS OR EQ.
11.	BLOCKING
12.	WINDOW FLASHING MEMBRANE
13.	2x LINER FASTEN TO BUCK
14.	WINDOW FRAME BY OTHERS - WATER PROOF AS REQUIRED
15.	GLAZING
16.	PRESSURE TREATED HYBRID WOOD BUCK FOR FLUSHED WINDOW ATTACHMENT FASTENED TO CONCRETE VIA CAST IN PLACE SCREWS ON CONTACT SIDE



Quad-Lock Building Systems Ltd.
7398 - 132nd Street
Surrey, BC V3W 4M7
Canada

888.711.5625 - Toll Free
604.590.3111
604.590.8412 - fax
www.quadlock.com

WOOD BUCK WINDOW DETAIL

DATE:	2009-01-21	SCALE:	NOT TO SCALE
REVISION NO.:	R-02	PROJECT:	
REVISION DATE:	2009-07-10	CUSTOMER:	
DRAWN BY:	Z. PROSTRAN	APPROVED BY:	H.M.K. & D.J.B.
			DRAWING NO.:
			QL-403

IT IS THE RESPONSIBILITY OF THE USER TO COMPLY WITH ALL APPLICABLE REGULATIONS AND BUILDING CODE REQUIREMENTS CONCERNING THE USE OF THESE PRODUCTS.

IT IS FURTHER THE RESPONSIBILITY OF THE USER TO RESEARCH AND UNDERSTAND SAFE METHODS OF USE AND HANDLING OF THESE PRODUCTS.