



1. QUAD-LOCK REGULAR 2.25" PANEL
2. QUAD-LOCK TIE (6" BLUE SHOWN)
3. EXTERIOR WALL FINISH
4. VERTICAL REINFORCEMENT AS SPECIFIED
5. HORIZONTAL REINFORCEMENT AS SPECIFIED
6. STIRRUPS & LINTEL REINFORCEMENT AS SPECIFIED
7. FLASHING AS SPECIFIED - FASTEN TO QUAD-LOCK TIE FLANGES
8. WINDOW SHUTTERS FASTENED TO CONCRETE
9. CONCRETE POURED FLUSH TO EXTERIOR OF QUAD-LOCK PANELS
10. P.T. HYBRID WOOD BUCK FOR FLUSHED WINDOW ATTACHMENT FASTENED TO CONCRETE VIA SCREWS ON CONTACT SIDE
11. GLAZING
12. WINDOW FRAME BY OTHERS - WATER PROOF AS REQUIRED
13. 2x LINER FASTEN TO BUCK
14. WINDOW FLASHING MEMBRANE
15. BLOCKING
16. WINDLOCK TYPE SCREWS OR EQ.
17. INTERIOR WALL FINISH

1. QUAD-LOCK REGULAR 2.25" PANEL
2. QUAD-LOCK TIE (6" BLUE SHOWN)
3. EXTERIOR WALL FINISH
4. VERTICAL REINFORCEMENT AS SPECIFIED
5. HORIZONTAL REINFORCEMENT AS SPECIFIED
6. STIRRUPS & LINTEL REINFORCEMENT AS SPECIFIED
7. P.T. WOOD BUCK FOR FLUSHED WINDOW ATTACHMENT FASTENED TO CONCRETE VIA SCREWS ON CONTACT SIDE
8. FLASHING AS SPECIFIED - FASTEN TO QUAD-LOCK TIE FLANGES
9. WINDOW SHUTTERS FASTEN TO INTERNAL WOOD BUCK
10. WINDOW FRAME BY OTHERS - WATER PROOF AS REQUIRED
11. GLAZING
12. 2x LINER FASTEN TO BUCK
13. WINDLOCK TYPE SCREWS OR EQ.
14. WINDOW FLASHING MEMBRANE
15. INTERIOR WALL FINISH



Quad-Lock Building Systems Ltd.
7398 - 132nd Street
Surrey, BC V3W 4M7
Canada

888.711.5625 - Toll Free
604.590.3111
604.590.8412 - fax
www.quadlock.com

IT IS THE RESPONSIBILITY OF THE USER TO COMPLY WITH ALL APPLICABLE REGULATIONS AND BUILDING CODE REQUIREMENTS CONCERNING THE USE OF THESE PRODUCTS.
IT IS FURTHER THE RESPONSIBILITY OF THE USER TO RESEARCH AND UNDERSTAND SAFE METHODS OF USE AND HANDLING OF THESE PRODUCTS.

WINDOW SHUTTER DETAIL

DATE:	2009-01-21	SCALE:	NOT TO SCALE
REVISION NO.:	R-02	PROJECT:	
REVISION DATE:	2009-07-10	CUSTOMER:	
DRAWN BY:	Z. PROSTRAN	APPROVED BY:	H.M.K. & D.J.B.
			DRAWING NO.:
			QL-406