



1. EXTERIOR FINISH AS SPECIFIED
2. WALL SHEATHING
3. NAIL PLATE
4. QUAD-LOCK METAL TRACK - REMOVE KNOBS AND INSERT AS SHOWN
5. QUAD-LOCK TIE (8" YELLOW SHOWN)
6. REINFORCED CONCRETE CORE
7. QUAD-LOCK REGULAR 2.25" PANEL
8. HORIZONTAL REINFORCEMENT AS SPECIFIED
9. VERTICAL REINFORCEMENT AS SPECIFIED
10. FASTEN INTERIOR FINISH TO QUAD-LOCK TIE FLANGES
11. CEILING FINISH - FASTEN TO BOTTOM RAFTER CHORDS
12. TOP OF WALL REINFORCEMENT - HELD IN PLACE BY WIRE TOP TIES DURING POUR
13. BOTTOM RAFTER CHORD
14. PRESSURE TREATED SILL PLATE WITH ANCHOR BOLTS AS SPECIFIED
15. TOP RAFTER CHORD
16. BLOCKING (IF COMMON RAFTER SYSTEM)

QUAD-LOCK
Building Systems Ltd.

Quad-Lock Building Systems Ltd.
7398 - 132nd Street
Surrey, BC V3W 4M7
Canada

888.711.5625 - Toll Free
604.590.3111
604.590.8412 - fax
www.quadlock.com

IT IS THE RESPONSIBILITY OF THE USER TO COMPLY WITH ALL APPLICABLE REGULATIONS AND BUILDING CODE REQUIREMENTS CONCERNING THE USE OF THESE PRODUCTS.

IT IS FURTHER THE RESPONSIBILITY OF THE USER TO RESEARCH AND UNDERSTAND SAFE METHODS OF USE AND HANDLING OF THESE PRODUCTS.

ROOF RAFTER CONNECTION DETAIL RAFTERS PERPENDICULAR TO WALL

DATE:	2009-01-21	SCALE:	NOT TO SCALE
REVISION NO.:	R-02	PROJECT:	
REVISION DATE:	2009-07-10	CUSTOMER:	
DRAWN BY:	Z. PROSTRAN	APPROVED BY:	H.M.K. & D.J.B.
			DRAWING NO.:
			QL-502