



- 1. BLOCKING AS SPECIFIED
- 2. PLYWOOD CAP AS SPECIFIED
- 3. QUAD-LOCK WIRE TOP TIE SECURED W/ QUAD-LOCK METAL TRACK
- 4. FLASHING AS SPECIFIED
- 5. BLOCKING
- 6. STEEL ANGLE CONTINUOUS AT PERIMETER
- 7. STEEL PLATE C/W NELSON STUDS CAST IN PLACE
- 8. EXTERIOR FINISH AS SPECIFIED
- 9. QUAD-LOCK TIE (6" BLUE SHOWN)
- 10. QUAD-LOCK REGULAR 2.25" PANEL
- 11. REINFORCED CONCRETE CORE
- 12. VERTICAL REINFORCEMENT AS SPECIFIED
- 13. HORIZONTAL REINFORCEMENT AS SPECIFIED
- 14. FASTEN INTERIOR FINISH TO QUAD-LOCK TIES
- 15. FASTEN CEILING FINISH TO FURRING CHANNELS

**QUAD-LOCK**  
Building Systems Ltd.

Quad-Lock Building Systems Ltd.  
7398 - 132nd Street  
Surrey, BC V3W 4M7  
Canada  
888.711.5625 - Toll Free  
604.590.3111  
604.590.8412 - fax  
www.quadlock.com

## OPEN WEB STEEL JOIST ROOF DETAIL

DATE:	2009-01-21	SCALE:	NOT TO SCALE
REVISION NO.:	R-02	PROJECT:	
REVISION DATE:	2009-07-10	CUSTOMER:	
DRAWN BY:	Z. PROSTRAN	APPROVED BY:	H.M.K. & D.J.B.
			DRAWING NO.:
			<b>QL-504</b>

IT IS THE RESPONSIBILITY OF THE USER TO COMPLY WITH ALL APPLICABLE REGULATIONS AND BUILDING CODE REQUIREMENTS CONCERNING THE USE OF THESE PRODUCTS.  
IT IS FURTHER THE RESPONSIBILITY OF THE USER TO RESEARCH AND UNDERSTAND SAFE METHODS OF USE AND HANDLING OF THESE PRODUCTS.