


1. OUTSIDE CORNER BRACKET
2. CUT QUAD-LOCK TIES AND INSERT AS SHOWN
3. 90° REBAR BEND AS SPECIFIED
4. QUAD-LOCK TIE (8" YELLOW SHOWN)
5. REINFORCED CONCRETE CORE
6. QUAD-LOCK REGULAR 2.25" PANEL
7. INSIDE CORNER BRACKET
8. VERTICAL REINFORCEMENT AS SPECIFIED
9. HORIZONTAL REINFORCEMENT AS SPECIFIED



1. QUAD-LOCK TIE (8" YELLOW SHOWN)
2. QUAD-LOCK REGULAR 2.25" PANEL
3. OUTSIDE CORNER BRACKET
4. CUT QUAD-LOCK TIE FLANGES AND INSERT AS SHOWN
5. 90° REBAR BEND AS SPECIFIED
6. VERTICAL REINFORCEMENT AS SPECIFIED
7. HORIZONTAL REINFORCEMENT AS SPECIFIED
8. INSIDE CORNER BRACKET
9. QUAD-LOCK TIE (6" BLUE SHOWN)
10. REINFORCED CONCRETE CORE

**QUAD-LOCK**  
Building Systems Ltd.

Quad-Lock Building Systems Ltd.  
7398 - 132nd Street  
Surrey, BC V3W 4M7  
Canada

888.711.5625 - Toll Free  
604.590.3111  
604.590.8412 - fax  
www.quadlock.com

## 90° CORNER AND T-WALL DETAIL

DATE:	2009-01-21	SCALE:	NOT TO SCALE
REVISION NO.:	R-02	PROJECT:	
REVISION DATE:	2009-07-10	CUSTOMER:	
DRAWN BY:	Z. PROSTRAN	APPROVED BY:	H.M.K. & D.J.B.
			DRAWING NO.:
			QL-701

IT IS THE RESPONSIBILITY OF THE USER TO COMPLY WITH ALL APPLICABLE REGULATIONS AND BUILDING CODE REQUIREMENTS CONCERNING THE USE OF THESE PRODUCTS.

IT IS FURTHER THE RESPONSIBILITY OF THE USER TO RESEARCH AND UNDERSTAND SAFE METHODS OF USE AND HANDLING OF THESE PRODUCTS.