



STC 50 CONFIGURATION

1. QUAD-LOCK REGULAR 2.25" PANEL
2. VERTICAL REINFORCEMENT AS SPECIFIED
3. HORIZONTAL REINFORCEMENT AS SPECIFIED
4. QUAD-LOCK TIE (8" YELLOW SHOWN)
5. 7.75" THICK REINFORCED CONCRETE CORE
6. ONE LAYER OF 1/2" GWB FASTENED TO QUAD-LOCK TIE FLANGES
TEST PERFORMED BY ARCHITECTURAL TESTING REPORT AVAILABLE TO BUILDING OFFICIALS UPON REQUEST



Quad-Lock Building Systems Ltd.
7398 - 132nd Street
Surrey, BC V3W 4M7
Canada
888.711.5625 - Toll Free
604.590.3111
604.590.8412 - fax
www.quadlock.com

SOUND TRANSMISSION CLASS DETAIL STC-50 WALL

DATE:	2009-01-21	SCALE:	NOT TO SCALE
REVISION NO.:	R-02	PROJECT:	
REVISION DATE:	2009-07-10	CUSTOMER:	
DRAWN BY:	Z. PROSTRAN	APPROVED BY:	H.M.K. & D.J.B.
			DRAWING NO.:
			QL-716

IT IS THE RESPONSIBILITY OF THE USER TO COMPLY WITH ALL APPLICABLE REGULATIONS AND BUILDING CODE REQUIREMENTS CONCERNING THE USE OF THESE PRODUCTS.
IT IS FURTHER THE RESPONSIBILITY OF THE USER TO RESEARCH AND UNDERSTAND SAFE METHODS OF USE AND HANDLING OF THESE PRODUCTS.