



1.	EXISTING GLASSBLOCK / WINDOW
2.	EXISTING ASPHALT EMULSION W/ MORTAR
3.	EXISTING PRECAST CONCRETE SILL
4.	CAULKING @ JOIN OF WINDOW W/ EXTERIOR FINISH
5.	BEVEL PLUS PANELS @ 45° @ ALL SIDES
6.	SPRAY FOAM
7.	ALUMINUM FLASHING W/ DRIP LEDGE
8.	EXTERIOR FINISH SYSTEM
9.	R-ETRO PLUS TOP TIE - FASTEN TO EXISTING CONSTRUCTION WITH TAPCON (OR SIM.) EXTERIOR RATED SCREWS
10.	QUAD-LOCK PLUS 4.25" PANEL
11.	$\frac{1}{4}$ " DRAINAGE CAVITY
12.	R-ETRO PLUS TIE - FASTEN TO EXISTING CONSTRUCTION WITH TAPCON (OR SIM.) EXTERIOR RATED SCREWS

QUAD-LOCK
Building Systems Ltd.

Quad-Lock Building Systems Ltd.
7398 - 132nd Street
Surrey, BC V3W 4M7
Canada

888.711.5625 - Toll Free
604.590.3111
604.590.8412 - fax
www.quadlock.com

IT IS THE RESPONSIBILITY OF THE USER TO COMPLY WITH ALL APPLICABLE REGULATIONS AND BUILDING CODE REQUIREMENTS CONCERNING THE USE OF THESE PRODUCTS.

IT IS FURTHER THE RESPONSIBILITY OF THE USER TO RESEARCH AND UNDERSTAND SAFE METHODS OF USE AND HANDLING OF THESE PRODUCTS.

R-ETRO EXTERIOR WINDOW DETAIL CONCRETE SILL

DATE:	2009-01-21	SCALE:	NOT TO SCALE
REVISION NO.:	R-02	PROJECT:	
REVISION DATE:	2009-07-10	CUSTOMER:	
DRAWN BY:	Z. PROSTRAN	APPROVED BY:	H.M.K. & D.J.B.
			DRAWING NO.:
			RE-102