



1.	EXISTING INTERIOR WALL FINISH
2.	EXISTING WALL
3.	QUAD-LOCK PLUS 4.25" PANEL
4.	R-ETRO PLUS TIE - FASTEN TO EXISTING CONSTRUCTION WITH TAPCON (OR SIM.) EXTERIOR RATED SCREWS
5.	EXTERIOR FINISH SYSTEM
6.	SPRAY FOAM
7.	GLAZING
8.	EXISTING WINDOW
9.	CAULKING
10.	ADHESIVE MEMBRANE @ ALL SIDES (POLYGUARD OR SIM.)
11.	BEVEL PLUS PANELS @ 45° @ ALL SIDES
12.	¼" DRAINAGE CAVITY



Quad-Lock Building Systems Ltd.
7398 - 132nd Street
Surrey, BC V3W 4M7
Canada

888.711.5625 - Toll Free
604.590.3111
604.590.8412 - fax
www.quadlock.com

IT IS THE RESPONSIBILITY OF THE USER TO COMPLY WITH ALL APPLICABLE REGULATIONS AND BUILDING CODE REQUIREMENTS CONCERNING THE USE OF THESE PRODUCTS.

IT IS FURTHER THE RESPONSIBILITY OF THE USER TO RESEARCH AND UNDERSTAND SAFE METHODS OF USE AND HANDLING OF THESE PRODUCTS.

R-ETRO EXTERIOR WINDOW TAPERED FINISH DETAIL

DATE:	2009-01-21	SCALE:	NOT TO SCALE
REVISION NO.:	R-02	PROJECT:	
REVISION DATE:	2009-07-10	CUSTOMER:	
DRAWN BY:	Z. PROSTRAN	APPROVED BY:	H.M.K. & D.J.B.
			DRAWING NO.:
			RE-103