


1. EXISTING WALL
2. CERAMIC TILE FINISH AS SPECIFIED
3. BUILD OUT WITH LUMBER FLUSH TO FOAM SURFACE TO PROVIDE FIRM ATTACHMENT FOR HEAVY MATERIALS
4. R-ETRO PLUS TIE - FASTEN TO EXISTING WALL
5. QUAD-LOCK PLUS 4.25" PANEL
6. EXTERIOR FINISH AS SPECIFIED
7. 1/4" DRAINAGE CAVITY



### FASTENERS

		FASTENERS		
		TYPE	LENGTH	MIN. PENETRATION
<b>SUBSTRATE</b>	<b>WOOD STUD</b>	EXTERIOR RATED SIDING SCREW	MIN. 1 $\frac{3}{4}$ "	1 $\frac{1}{4}$ "
	<b>METAL STUD</b>	EXTERIOR RATED SIDING SCREW	VARIES W/ SHEATHING	$\frac{3}{8}$ " INTO STUD
	<b>MASONRY</b>	CONCRETE SCREW OR WEDGE ANCHOR	1 $\frac{1}{2}$ "	1 $\frac{1}{4}$ "
	<b>CONCRETE</b>	CONCRETE SCREW OR WEDGE ANCHOR	1 $\frac{1}{2}$ "	1 $\frac{1}{4}$ "

**QUAD-LOCK**  
Building Systems Ltd.

Quad-Lock Building Systems Ltd.  
7398 - 132nd Street  
Surrey, BC V3W 4M7  
Canada

888.711.5625 - Toll Free  
604.590.3111  
604.590.8412 - fax  
www.quadlock.com

IT IS THE RESPONSIBILITY OF THE USER TO COMPLY WITH ALL APPLICABLE REGULATIONS AND BUILDING CODE REQUIREMENTS CONCERNING THE USE OF THESE PRODUCTS.  
IT IS FURTHER THE RESPONSIBILITY OF THE USER TO RESEARCH AND UNDERSTAND SAFE METHODS OF USE AND HANDLING OF THESE PRODUCTS.

### R-ETRO ATTACHMENT DETAIL FOR HEAVY ITEMS

DATE:	2009-01-21	SCALE:	NOT TO SCALE
REVISION NO.:	R-02	PROJECT:	
REVISION DATE:	2009-07-10	CUSTOMER:	
DRAWN BY:	Z. PROSTRAN	APPROVED BY:	H.M.K. & D.J.B.
			<b>RE-201</b>