


1. EXISTING WALL
2. CERAMIC TILE FINISH AS SPECIFIED
3. BUILD OUT WITH LUMBER FLUSH TO FOAM SURFACE TO PROVIDE FIRM ATTACHMENT FOR HEAVY MATERIALS
4. R-ETRO PLUS TIE - FASTEN TO EXISTING WALL
5. QUAD-LOCK PLUS 4.25" PANEL
6. EXTERIOR FINISH AS SPECIFIED
7. 1/4" DRAINAGE CAVITY



FASTENERS

		FASTENERS		
		TYPE	LENGTH	MIN. PENETRATION
SUBSTRATE	WOOD STUD	EXTERIOR RATED SIDING SCREW	MIN. 1 ³ / ₄ "	1 ¹ / ₄ "
	METAL STUD	EXTERIOR RATED SIDING SCREW	VARIES W/ SHEATHING	3/8" INTO STUD
	MASONRY	CONCRETE SCREW OR WEDGE ANCHOR	1 ¹ / ₂ "	1 ¹ / ₄ "
	CONCRETE	CONCRETE SCREW OR WEDGE ANCHOR	1 ¹ / ₂ "	1 ¹ / ₄ "



Quad-Lock Building Systems Ltd.
 7398 - 132nd Street
 Surrey, BC V3W 4M7
 Canada
 888.711.5625 - Toll Free
 604.590.3111
 604.590.8412 - fax
 www.quadlock.com

IT IS THE RESPONSIBILITY OF THE USER TO COMPLY WITH ALL APPLICABLE REGULATIONS AND BUILDING CODE REQUIREMENTS CONCERNING THE USE OF THESE PRODUCTS.
 IT IS FURTHER THE RESPONSIBILITY OF THE USER TO RESEARCH AND UNDERSTAND SAFE METHODS OF USE AND HANDLING OF THESE PRODUCTS.

R-ETRO ATTACHMENT DETAIL FOR HEAVY ITEMS

DATE:	2009-01-21	SCALE:	NOT TO SCALE
REVISION NO.:	R-02	PROJECT:	
REVISION DATE:	2009-07-10	CUSTOMER:	
DRAWN BY:	Z. PROSTRAN	APPROVED BY:	H.M.K. & D.J.B.
			RE-201