



- | | |
|----|---|
| 1. | R-ETRO PLUS TIE - FASTEN TO EXISTING WALL |
| 2. | EXISTING WALL |
| 3. | EXISTING ELECTRICAL BOX |
| 4. | ELECTRICAL BOX EXTENDER - FASTEN TO EXISTING BOX
BRING 3/8" MIN. PAST R-ETRO INSULATION FOR EVEN FINISH WITH DRYWALL |
| 5. | EXTERIOR FINISH AS SPECIFIED |
| 6. | 1/4" DRAINAGE CAVITY |
| 7. | QUAD-LOCK PLUS 4.25" PANEL |

QUAD-LOCK
Building Systems Ltd.

Quad-Lock Building Systems Ltd.
7398 - 132nd Street
Surrey, BC V3W 4M7
Canada

888.711.5625 - Toll Free
604.590.3111
604.590.8412 - fax
www.quadlock.com

IT IS THE RESPONSIBILITY OF THE USER TO COMPLY WITH ALL APPLICABLE REGULATIONS AND BUILDING CODE REQUIREMENTS CONCERNING THE USE OF THESE PRODUCTS.

IT IS FURTHER THE RESPONSIBILITY OF THE USER TO RESEARCH AND UNDERSTAND SAFE METHODS OF USE AND HANDLING OF THESE PRODUCTS.

R-ETRO ELECTRICAL BOX DETAIL

DATE:	2009-01-21	SCALE:	NOT TO SCALE
REVISION NO.:	R-02	PROJECT:	
REVISION DATE:	2009-07-10	CUSTOMER:	
DRAWN BY:	Z. PROSTRAN	APPROVED BY:	H.M.K. & D.J.B.
			DRAWING NO.:
			RE-202