



- |  |
|--|
| 1. QUAD-LOCK PLUS 4.25" PANEL - CUT TO DESIRED HEIGHT, SLIDES IN ON R-ETRO PLUS TOP TIE              |
| 2. R-ETRO PLUS TOP TIE - FASTEN TO EXISTING CONSTRUCTION WITH TAPCON (OR SIM.) EXTERIOR RATED SCREWS |
| 3. EXTERIOR FINISH - FASTEN TO R-ETRO PLUS TIE FLANGES   |
| 4. $\frac{1}{4}$ " DRAINAGE CAVITY   |
| 5. R-ETRO PLUS TIE - FASTEN TO EXISTING CONSTRUCTION WITH TAPCON (OR SIM.) EXTERIOR RATED SCREWS     |
| 6. EXISTING WALL   |
| 7. EXISTING ROOF CONSTRUCTION  |
| 8. FASTEN TO EXISTING ROOF CONSTRUCTION WITH EXTERIOR RATED FASTENERS                                |
| 9. 2" x 2" [50mm x 50mm] GALVANIZED METAL ANGLE  |
| 10. LOW EXPANSION SPRAY FOAM FOR INSULATION IN BEHIND AND ON TOP OF PLUS PANEL                       |

**QUAD-LOCK**  
Building Systems Ltd.

Quad-Lock Building Systems Ltd.  
7398 - 132nd Street  
Surrey, BC V3W 4M7  
Canada

888.711.5625 - Toll Free  
604.590.3111  
604.590.8412 - fax  
www.quadlock.com

IT IS THE RESPONSIBILITY OF THE USER TO COMPLY WITH ALL APPLICABLE REGULATIONS AND BUILDING CODE REQUIREMENTS CONCERNING THE USE OF THESE PRODUCTS.

IT IS FURTHER THE RESPONSIBILITY OF THE USER TO RESEARCH AND UNDERSTAND SAFE METHODS OF USE AND HANDLING OF THESE PRODUCTS.

## R-ETRO EXTERIOR ROOF EAVE DETAIL

DATE:	2009-01-21	SCALE:	NOT TO SCALE
REVISION NO.:	R-02	PROJECT:	
REVISION DATE:	2009-07-10	CUSTOMER:	
DRAWN BY:	Z. PROSTRAN	APPROVED BY:	H.M.K. & D.J.B.
			DRAWING NO.:
			RE-105