U - 0.28 WALL CONFIGURATION		
NOMINAL CONC. WIDTH - TIE SIZE	WALL WIDTH **W**	WALL CAVITY **C**
4" (100mm)	$8\frac{1}{4}$" (210mm)	$3\frac{3}{4}$" (96mm)
6" (150mm)	$10\frac{1}{4}$" (260mm)	$5\frac{3}{4}$" (146mm)
8" (200mm)	$12\frac{1}{4}$" (311mm)	$7\frac{3}{4}$" (197mm)
10" (250mm)	$14\frac{1}{4}$" (362mm)	$9\frac{3}{4}$" (248mm)
12" (300mm)	$16\frac{1}{4}$" (413mm)	$11\frac{3}{4}$" (299mm)



1 / 9.3 CONNECTION DETAIL

QUAD-LOCK® Insulating Concrete Forms

Quad-Lock (England) Ltd.
Unit B3. 1 Maws Centre
Jackfield, Shropshire
TF8 7LS

Tel : 01952 884931
Fax : 01952 883285
www.quadlock.co.uk

DUE TO VARIANCES IN LOCAL CODES, CONSTRUCTION PRACTICES AND REQUIREMENTS ALL DETAILS SHALL BE CONSTRUCTED IN ACCORDANCE WITH SUCH LOCAL CODES, CONSTRUCTION PRACTICES, AND REQUIREMENTS REGARDLESS OF CONSTRUCTION DETAIL SHOWN IN DRAWING.
QUAD-LOCK BUILDING SYSTEMS LTD. RESERVES THE RIGHT TO CHANGE INFORMATION SHOWN WITHOUT NOTICE.

INTERIOR PARTITION WALL CONNECTION PLAN VIEW

DATE: 2005-07-23		SCALE: nts	
REVISION NO: R-03		PROJECT: N/A	
REVISION DATE: SEP 2009		CUSTOMER: N/A	DRAWING NO: 9.3
DRAWN BY: Z. PROSTRAN		APPROVED BY: D. J. BENNION	
REVISED BY M BAILEY		REVISION APPROVED BY: P TOWNEND	